	Application No.	Applicant(s)
Notice of Allowability	10/579,040	KUNIHIRO, KAZUAKI
	Examiner	Art Unit
	Patricia T. Nguyen	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-71</u> .		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 5/10/06 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amendo 8. ☑ Examiner's Statemo	(PTO-413), te

10/579,040 Art Unit: 2817

DETAILED ACTION

Allowable Subject Matter

Claims 1-71 are allowed.

The following is an examiner's statement of reasons for allowance: prior art, U.S. Patent # 6,317,608 B1, does not teach nor render obvious a high-frequency amplifier that has, in combination with other limitations, a plurality of first branching means each for branching the amplified signal in the plurality of frequency bands into a signal in the highest frequency band and a signal having the remaining frequency bands; and branching in accordance with the level of the frequency band and conversion to the load impedance are performed in order from the highest frequency band to the lowest frequency band; nor does it have a plurality of second branching means each for branching the amplified signal in the plurality of frequency bands into a signal in the highest frequency band and a signal having the remaining frequency bands; and branching in accordance with the level of the frequency band and conversion to the signal source impedance are performed in order from the highest frequency band to the lowest frequency band.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, should accompany the issue fee. Such submissions should be labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patents # 6,317,608 B1, # 5,774,017, # 6,236,274 B1,

Application/Control Number: `

10/579,040 Art Unit: 2817

6,298,244 B1, # 6,466,768 B1, and # 7,116,175 B2 contain some limitations of the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia T. Nguyen whose telephone number is (571) 272-1768. The examiner can normally be reached on 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 571-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patricia Ngrugen

PTN December 9, 2007 Primary Examiner AU 2817